SUPPLEMENT TO

The Gazette



of *Endia*

सस्यत्य

No. 48]

NEW DELHI, SATURDAY, DECEMBER 6, 1952

OFFICIAL PAPERS

Reported attacks and deaths from cholers, smallpox, plague and typhus in districts in India during the week ending the 8th November, 1952

								0210	OMI TIC	, 1002									
-			SMAL	LPOX	PL	EGD9.	<u></u>				Сног	JI BA	Виах	LPOX	PLA	GUн			
				o.	в.	o.	D.	o.	D.	B char—con	ıtd.			o.	D,	o.	D.	O.	D,
	ST.	ates	PA	RT (A) & P	ART (O)			Manbhum					•10		• •	_	_
				Ajn	ner					Palamsu		•	•				2-4	•10	•••
			N	o inold	en ce,					Singhbhum		•	•		_		_	••	-
ı				Ass	am						To	ral.		274	119	3	1		•••
Cachar .				-10		3	. 2			(Estd. mid-yes	ar po	p. 38	3,8 3 9						
Khasi and Jai	ntia :	AlliH		-	-	***		••	••	thousands.)	_	_							
Nuga Hills				_		4=0	4.0			Total for w/e			•	311	145	I	_		919
Goalpara				414	-	***			-4	Total for w/e 2			•	290	147		•	••/	~~
Kamrup				3	2	•	8.19	040	••	7-yearly mean	for t	he w	eek.	403	204	28	7	5	2
Darrang					4.00	***	_	4.0	1.4					Вош	bay				
Nowgong					L	120	***	••	ů bu	Greater Bom	bay			3	2	8	1		
Sibseger .	•				_	•••	_	••	•:•	Ahmedabad				4.4	•.•	••	-	_	-
Lakhimpur				42	_	•:•			Orv	Kaira .							••		_
Badiya & Fron	tior '	Tracti	ь.	414	9,40		••			Broach .				_	***	•••	_		_
Garo Hills				••	• -	• •	••		414	Panch Mahal	le .					_		_	_
	Тот	AL		3	2	3	2	••	••	Surat .					• 10	4	er*		_
(Estd. mid-ye		po	p.		_					Thana .								•••	
9,334 thousa			_							Satara South				••	***	4	2		-
Total for w/s			•	••	••	3	2	••		Abmednagar				tre.	0.13	3		_	
Total for w/e 2			•	6	5	4	3	4 74	••	East Khande					•.•	**			
7-yearly mea week.	TT I	or •	be	30	16	4	1			West Khande	esh					4-0	***	•	t make
				Bho	paj					Amreli .					• •	14	5		
			1	No inci	denos					Nasik .				1	1	3			
				Bil	har					Poons .				•••		4.00	,	_	-
Patna .				99	34	•.•	_	_	_	Satara North	٠.	•		2	2	_		-	-
Gaya .			•	95	48	• •	•.•	_	_	Sholapur						-	97.7		••
Shahahad .				54	26			_	_	Sabarkantha					• •	24	9	_	••
Saran .		. ,				_		_		Belgaum				***	•=•	w16	_		••
Chapperat			1				••	_	44	Bijapur								-	• •
Muzaffarpur				10	5	• •		-	#v=	Dharwar	•	•		-	••	4-4		••	••
Darbhanga									_	Kanara					•	9	1	••	••
Monghyr				••		₩1			778	Ratnagiri					•	***		••	
Bhagalpur				4.	2			_	_	Kolaba .	•			1	1	•	#1 #	418	
Saberna .		•		-	429	•••	***	_		Kolhapur	•	•			_	-	***	••	***
Puraea .				4	•		_	_		Baroda .	•		•	_ L	4.7		-	-	1_4
Zantal Pargana	9.					••		_	_	Navsari			٠	eu!	-	449	1.00	••	***
Hezarîbagh						3	1	_	·-	Dangs .		•					-		-
Ranchi .				8	4		-	-	we	Malwan			•			-	-	*10	•
									-										

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 8th November, 1952—contd.

	Сног	mR.A.	SMAL	LPOX	PLA	CUE		Сног	rra	SMALL	POX	PLAG	ΨE
	σ.	D.	C.	D.	C-	D.	Madhya Pradesh—Contd.	C.	D.	o. 3	D.	C.	D.
Bon	n hay- -co	ontd.											
Mehsana	910		10	2			Akola		••	410	•-	•	
Banaskantha	**	ere		eur	472	•	Buldans	42	28	-	_	••	••
TOTAL .	7	6	74	20	••		Total .	60	81	7	8	142	11
(Estd. mid-year pop. 36,802 thousands).							(Estd. mid-year pop. 21,556 thousands.)	L					
Total for w/e 1-11-52 .	42	12	11			• •	Total for w/e 1-11-52	. 98	35	8	2	66	4
Total for w/e 25-10-52 .	28	5	48	9	-		Total for w/e 25-10-52	. 115	49	6	1	21	4
7-yearly mean for	87	37	52	7	75	_0	7-yearly mean for the week	48	27	8 7	4	100	21
the week			02	•	•-			Madı	ns				
	Coo No iso						Visakhapatnam	. 26	9	918	-10	•1.•	
	No ino	inattee.					Srikakulam	. 6	5	•	4.	••	••
	Del	lh i					East Godavari		••	•••	***		••
Delhi city · · ·	_	••	2	••	••	••	West Godavari		••	2	*10	••	
New Delhi ·			ı				Krishna	•	• •	8-10	•10		••
				1	ðī.	,,	Guntur	. 15	-	••	• •	••	••
Delhi Notified Area .	••	-	••	-		•	Nellore Cuddappah	. 1	1	19	1	* *	••
New Delhi Cantt. • .			••	-	,na	418	Kurnool 2	. 21	7 2	2	••	••	••
West Delhi N.A.C.	-	***	***	••	***	M LIN	Bellary		,.	••	••	••	••
Rural Circles	81.0	***	3	 1	••		Anantapur		710	1	•••	••	••
Total	••	••	•	E.	148	4.1	Madras City	. 15	1	2	••	••	•••
(Estd. mid-year pop. 1,744 thousands.)	•						Chingleput	. 11	6	••		••	••
Total for w/e 1-11-52	• ••	••	3	1		-	Chittoor North Arcot	. 41 . 89	14 47	1	 • •	••	••
Total for w/e 25-10-52				-	9.0		Salem	. 123	74		1	••	••
7-yearly mean for the week	••			••			Coimbatore	. 200	85	••	••		••
•							South Arcot	. 5	4	••	••	• •	• •
1	H macha						Tanjore	. 42	20	10	1	••	7 •
	No inc	oid e nce.					Tiruchirapalli	. 109	53 92	=10	••	• •	• •
	Madhya	Prades	h				Remnethepurem	. 28			••	• •	*10
AT							Tirunelveli				••	••	••
Nagpur	• ••	••	••	• •	••	••	Nilyiris		••		••	••	••
01 1		p , #2#		••	••		Molanar'.		B3#	9	2		.,
Chhindwara		••		••	••		South Kanara		••		٠.		• •
Betul		~	••	••		.,	TOTAL	. 1,031	442	47	5		••
Bhandara	• ••		• •	••	96	4	(Est. Hid-year Popi sijet	00					
Jabalpur	• 67	2	••	••	8	1	Total for w/a 1.11-69	. 1,13	7 543	77	10		
Sagar	. 7	2	• •	••	14	3	Total for w/o 25.10.52	. 94		85	16 14	••	
Mandla Hoshangabad	• ••	••	••	••	20	1	7-yearly mean for the weel			206	46		16
Nimar	•	••	••	••	••	•			_				
Balaghat		••	••	•1•	4			Man	_				
Raipur			••	••	••			74O 1DC	idence.				
Bilaspur	. 4	4	7	3	••	.,		Or	(SSA				
Durg	•	••	••	••	••		Outtack	. 123	65	1	1	• •	••
Bastar	• ••	••	••	••	••	••		. 20	10	-+-	44.9	• •	••
Surguja	• ••	••	••	***	••	••		. 4	. 3	••	••		••
Raigarh	• ••	610	•	••	••	_	•	• •	•10	••	••	-1-	• •
Amravati Yeotmal	• ••	••	••	••	*-	••		• •			• •	** ***	••
Tennmer	• ••	•=	ν.	 lanct	lon of a	 	Ganjam Plains .	, 1	1	***	MC	••	••

Explanation of symbols medi; -C. - Cases ; D. - Deeths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 8th November, 1952.

	Сног	WR. ≜ .	SMAI	LPOX ;	PLA	30E		Снога	era.	Smali	POK	PLA	GUB
	C.	D.	C.	D.	C.	D		C.	D,	C.	D.	C.	D.
							_	= .					
	Orloca —	oonta.						ttar Prad	(62 1)—0	ontd.			
Ganjam Agency	-	-	-	-	_	_	Mathura	• •••	•••	0.0	***	•1•	••
Koraput	***	••	4.	1	4**		Agra	• ••	••		***	••	••
Keonjhar	•.• 11	9	2	***	#1#	•10	Mainpuri Etah	• ••	•.•	620	-		***
Dhenkanal	11		10			-	Bareilly	•	٠.	••		••	•.•
Bolangir Patna Sundergarh	814		2	••	••	*.*	Bijpnor	• ••	010	410	0.0		••
Kalahandi	 19	 28		=15	••	••	Budaun	• ••	••	••	410	••	••
Angul				*.*			Moradabad		••	~-	*:*	414	***
Mayurbhan	010	•••	1	-,-			Shahjahanpur	• ••	*.*	••	••	••	••
							Pilibhit		• •	••	•1•		e34
TOTAL .	178	116	20	1	020		Farrukhabad		••	are.			
(Estd. mid-year pop. 14,761 thousands.)							Etawah	••	#1B	•••			
	145	70	***				Kanpur						
Total for w/e 1-11-52	147	78	80	4	•-		Fatchpur	• • •	••	••	***	••	***
Total for w/e 25-10-52	100	65	41	9	***		Allahabad	₩1₩	••	••	••	••	••
7-yearly mean for the week	69	42	4 I	8	••	43	Jhansi	• ••	••	-10	••	••	***
							Jalaun	• •:•	***	***	••	***	•.•
							Hamirpur	•	_	B16	* * ***	•/ •	••
	Punjab	(I)					Banda	. 114	••	•••	0.0	• • • • • • • • • • • • • • • • • • • •	
Hissar	•••	920	*1=	***	••	***	Baneras			•••		.	
Rohtak		₩.	••	• •		• •	Mirzapur		••				e.re
Gurgaon	••	••	••	• •	••	••	Jaunpur		••				
Karnal · · · ·	840		8	3	••	••	Ghazipur		••	••	••	••	••
Ambala	***	••	-1-	• •	••	••	Ballia		••	••		••	***
Simla	ere.	410	4.4	•	_	-	Gorakhpur			-1-	••	••	₩:0
Kangra • • •	••	***	••	4		••	Deoria	. 18	7		••		
Hoshlarpur	0.0	-1-	••	••	-1-	••	Basti	. 15	12	••	• -	••	***
Jullundur	4.4	• •	676	#: #		••	Azamgarh	. 2	2	••	-10	••	••
Ludhiana	910	••	4	••	• •	••	Nainital		••	1	••	***	••
Forozepur · · ·	••	••	4	••	••		Almora		W1	••	••	••	••
Amritsar	TAT	••	•		• •	••	Garhwal	• •	••	••	••	***	••
Gurdaspur		••	••	••	••	••	Lucknow		••	••	••	9.0	₩.
TOTAL	•••	••	13	3	••	••	Unao	• •••	••	••	**	-10	- Card
(Estd. mid-year pop. 12,645 thousands.)							Rae Bareili	. 7	3	••	••	410	••
			9	4.			Sitapur	• ••	••	••	••	••	4113
Total for w/e 1-11-52	-	**		-16			Hardoi	4 616	••	••	••	916	-
Total for w/e 25-10-52 •	••	••	17	•-•	••	*14	Kheri	• ••	•.•	••	••	••	748
7-yearly mean for the			5	2 .	1		Faizabad	• ••	••	••	••	••	••
week · · ·	• • • •		_	-	-		Gonda	• •.•	••	••	••	-10	• •
								• • •	••	••	••	* •	
	Tripur	8.					Sultanpur	• •-=	••	••	8.0	• •	•
N	o incide	nee.					Partabgarh	1	1	*18	#10	•.	••
							Rampur	• •	•		••		
Ut	ar Prad	lesh									••	••	••
Dehra Dun	414		• -			••	Total .	43	25	1	••	• •	4-1
Saharanpur	••	••	••	••		• •	(Estd. mid-year pop. 64,152 thousands.)	}					
Muzaffarnagar	• •	••	••		••	• •	•	94	ac.				
Meerut	-14	••		••	••	• •	Total for w/o 1-11-52 .	34	20	•4.	_	*119	0.0
Bulandshahr	•:•	••	••	••			Total for w/e 25-10-52 .	93	54	***	••	1	• •
Aligarh	-	••	• •	••	••	***	7-yearly mean for the week	83	46	14	3	49	22
		Exp	o la nati	on of Sy	ymbol	uaed i	-C, - Cases. D Deaths,	ī					

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 8th November, 1952

				Сног	ECR_A.	Smai	LPOX)	K) Pla	AUD.					Сиго	LERA.	SMA	LLPOX	Pr	A GTTTD
-				c.	D,	C.	D,	O.	D.	_				σ.	D.	O.		O.	D.
			Vi₁	ndhya Pi	radesh									Hyder	abad	onid.			
				No incid						Raichur .				***	679	***		414	• •
			,	West Be	ngal					Bider .		•		4	2	t m	***	• • •	
Burdwan .		_	_		478	2			_	Osmanabad				era	•	_	***	474	676
	_		-	1						Warrangal		-		1	PT	-	-		••
Birbhum .	•	•	•	•	810	••	••	••	410	Karimnagar	•	•	•	_	_		**		45%
Bankura .	•	•	•	ere	••	1	••	474		Adilabad .	•	•		_		-	•	_	***
Midnapur	•	•	•	48	19	1	••	• •	•1•	Nizamabad	•	•	•	•••	ere	-	ėva.	979	
Hooghly .	•	•	•	3	1	1	••	#7B	-111	Medak	•	•	•	•••		•••	***	014	4-
Howrah .			•	24	6	••	••		•••	Nalgonda .	•	•	•	•	8110	4	-	•	■7●
24-Parganas				14 }	4.	12	3	•••	••	Mahbubnagar	•	•	٠	***	• 1•	-		-	
Calcutta .				14	9			# **	***	Hyderabad	•	•	•	•	***	-	•••	01	*
Nadia .			_	•.•		676	=,	447	•••	Nanded .	•	•	•	-	-	-	424	-	_
Murshidabad	•	-	•	26	15	7	4		_	,	Гот	AL]	•	7	2	4	_	-	***
	•	•	•				\ -	im					Jan	mn er	d Kasi	hmle			
Malda .	•	•	•	4	2	•*•	PTW	67.6	A			in			ot receiv				
West Dinajpur	•	•	•	***	773	***	***	479	••							,,,,,,			
Jalpaiguri	•	•	•	878	=-4	••		**	••				3	fadhya	Bhara	4			
Darjeeling	•				• • •	•••	••	***	0.0					No ir	oideno	e.			
Cooch Behar				979	•••	• F •	••	•-•	•••										
Chandernagore	٠.			••					674					M	75020				
	Тотл	LT.	_	134	56	24	7			Bangalore	•	•	•	18 🎢	10	-	-	O ETO	_
			•				-			Chikmagalur		•	•	47	37 🗓 🛔	34	2	_	_
(Eatd. mid-yea thousands.)	r pop	. 25,1	180							Chitaldrag;				_	_	_			
Total for w/e l	-11-5	2		148	75	15	4		••	Hassan .						_	_	_	
Total for w/e	25-10	-52		107	43	11	4		• •	crasser .	•	•	•		•	***	***	2	••
7-yearly mean	for th	e we e	k	237	122	26	12	••		Kolar ,	•	•	•	18	5	-	6 rai	••	•
Grand total for (A & C)	r Stat	es Pa	rte	1730	797	195	43	142	11	Mandya	•	•	•	4	4	10	••	1	1
Corresponding year pop. 29	(Ea	td. mi thou	id- sand	ls.)						Mysore	•	•	•	••	-	-	-		••
Corresponding			7/ 0	1917	908	179	34	66	4	Shimoga	•	-	•	-	-10	_			" ,
1-11-52 Corresponding	· total	for :	• •	1017	2 00	170	934	00	*	Tamkur	-	•	•	-	_	_	***	4.4	-
25-10-52	•	•		1698	817	214	40	22	4			Totat.	•	87	56	44	2	3	J
Corresponding mean for th	7-yea e wee	rly k	-	1334	679	413	90	265	81										
			STA	TES PA	RT (B)	•												
				Hyderal	had							Patials	& 2	Rast P	unjab	States	Union		
Aurangabad				, 11.02.41		_				Тотл	L.			_	-	13	5	gr=	_
Parbhani .	•	•	•	2		••			•-•							_			_ -
Bhir .	•	•		_	ere ere		***							Rajas	tho n				
Gulberga .	•	•	•		•••	•••	#10 970					T.	town		ios teces	las-3			
Guinage •	-	•	•			nation		-m 	***	a a D-D	41		jur in	44.107 1 M	HUI FECON	10 0 (1,			

Explanation of symbols used :— O_{m} Cases : D_{m} Deaths,

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 8th November, 1952—contd.

		Снова	ba Sma	LLPOX	PLAG	T)		Сто	LEBA	Smalt	FOX	PL	LGUM
		C.	D. O.	D.	C.	D,	<u> </u>	O.	D,	C.	D.	C.	D.
	1	Saurash	tra				~						
Gohilwad		173	***				Grand total for States Part (B)	100	60	. 84	9	3	1
Halar	••		••	• •	4/4	4-	Grand total for States						
Madhya Saurashtra	••	•	7	1	**	-	Parts (A), (B) and (C) .	1,830	857	279	52	145	12
Sorath	•1€	••	в	**	-	_	P	MOLIC	ELITI	3			
Zalawad		••	2	• •	••		(Information based on pa	tients t	reated i	n hospit	als in	import	ant
Total .	• •	••	15	1		-	towns).					•	
							Places	1	Period			Oases	
	Tı	avanco:	ro-Cookia				Madhya Pradesh 16—		t. 1952			(Paret	•
TOTAL .	•	6	2 8	1	•"•	••	•	15 Oct -15 Nov				(Par (Par	,

Explanation of symbols used --- C=Cases ; D=Deaths.

NEW DELHI-2 (INDIA); The 2nd December, 1952.

K. MITRA,

for Registrar General, India.

NATIONAL SAVINGS

Available in three different series, maturing after 5.7 and 12 years. The yield is 3%, 357% and 416% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/-

CERTIFICATES

Bank of India in other places transacting treasury business.

Full particulars obtainable from Post Offices, District Organisers of the Small Savings Schome, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simia.

Deposits accepted in multiples of Rs 100/- upto a maximum of Rs 25 000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum (free of all taxes and not taken into account in assessing the total taxable income) is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserva Bank of India at Bombay Calcutta Delhi & Madras and Branches of The Imperial

 $3\frac{1}{2}$ %

TEE-YEAR

Pull particulars obtainable from District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioner, Simis.

TREASURY SAVINGS

AC 275

DEPOSITS

TODAY'S BEST INVESTIBLY FOR SMALL SAVERS

Births and deaths from principal diseases in towns with a population of over 30,000 in India for and week ending the 8th November, 1952.

								,		De	eths fro	mit—	·¬ · · · · ·				
	T	O W D			Mid1 Popn (00	Ret. B.	B. R. *	o.	s.	P.	ĻF.	D.D	. R.D.	M.D.	Total	D.R.	• I.D.
							•	Tates-	(Parts A	and O)							
	Ajı	ner															
Ajmer Beawar		•	•	•		03 10 53 2		• •	a.a	6. 10	10	į		 	40 25	10·2 24·5	
	To	yfai,		•	. 28	56 124	25.2	*10	••	-	23	6	3 11	••	65	13-2	11
B	ihar ssam	}						Ren	urna moli	receipe	i.						
F	omb#	J															
Ahmedaba Ahmednag Amalner		:	:	:	314 83 46	61	45·3 38·2 26·0	••	••	•••	28 3	12 2	103 5 1	î 1	335 18 5	22 · 2 11 · 3 5 · 7	116 3
Bagalkot Baroda Barsi	:	:	:	:	33 219 43	208	28 4 49 · 4 42 · 5	=	: 1 -	=	2 53 . 2	1 2	1 9 1	2 •••	12 96 11	18·9 22·8 13·3	18 2
Belgaum Bhusawal Bijapur	:	:	:	:	103 86 68	68 35 51	34-3 33-8 39-0	848 848 8 8		:: ::	2 0 2	i	4 2 2	•i	31 15 14	15·7 14·5 10·7	3 4 2
Broach Cambay Chalisgaon	•	•	•	•	64 40 31	51 59 19	41·4 76·7 31·7	- 	-	::	10 20 7	014 014	8	<u>:</u>	16 24 11	13·0 31·2 18 5	1 **- 5
Dharwar Dhulia† Gadag-Beta	g or i†	•	•	•	69	33	24.9	••	-	44	8.48	4.0	1	***	. 8	6.8	2
Godhra Greater Bo Hubli	mbay	:	:	:	40 2,987 134	34 1,888 79	44-2 32-9 30-6	ïi 	::	:: ::	6 6 5	24	1 116 11	ï	7 692 39	9·1 12·0 15·1	1 196 6
Jalgaon Kalyan Kolhapur	•	:	:	:	71 62 143	51 26 94	37:4 27:8 34:2	**	••	::	8 1 11	••	2 3 9	2 `i	18 7 52	13·2 5·9 18·9	$\begin{smallmatrix} 7\\2\\13\end{smallmatrix}$
Malegaon Miraj†	•	٠		•	57	41	37-4	••	* *	+	11	2	• •	••	16	14.5	5
Nadiad	•	•	•	٠	65	67	53 · 6	••	••	••	16	••	1	••	29	23.2	9 .
Nasik Nandurbar Navasari	:	:	:	:	103 31 46	45 25 48	22·7 41·9 54·3	4-m	 	 	3 1 5	1 1	<u>4</u>	.: .:	80 10 11	15·1 16·8 12·4	4 3 3
Pandharpur Patan Poons		•	:	:	41 44 516	40 37 378	50·7 44·8 38·1	••	• •	••	5 7 1		7 3 37		24 17 157	45.8 20.0 30.4	11 4 49
Sangli Satura Sholapur	· •	•	:	:	52 38 274	29 46 280	29.6 62.9 53.1	••	••• • •	••	3 4 11	1 6	2 2 47	i	15 24 125	15·3 32·8 23·7	1 7 42
Surat Thans	:	:	:	:	230 53	244 30	55·3 29·4	-	••		13 4		17 1	1	83 8	19·9 7·6	32
		T	DTAL	•	6,656	4, 828	37·7	1	1	_	253	68	395	22 1,	.966	12.4	55 5
]	Delhi	State															
Delhi City New Delhi	:	:	•	:	955 304	750 257	40·8 44·0	•*•	<u></u>	e e tras	75 2	9	52 6	2 2	197 47	10-7 8-0	51 6
• In c	ABOR (Toral		1,259 iere has l	100,7 been an ab	41·6 normal mo	 vement <u>-</u> c	of populat	ion, it	77 in lik ely	9 that (58		244 ***********************************	10·1	67

[•] In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used:—E.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dy—sentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternas Deaths; D.R.—Death Rate; L.D.—Infantile deaths (included in total deaths).

Evitus and deaths from principal diseases in towns with repopulation of over 30,000 in India for the week ending the 8th November, 1952—contd.

Deaths from :--Mid.-1952 D.D. R.D. M.D. Total D.R. I.D. Popn.-Het. (000) В. B.R. o. s. Р. Town Madhya Pradesh 11 36 - 1 7 36 52.0 3 25 86 Achalpur Akola† Amravati 7 2 3 1 47 27.2 90 77 44.5 13 1 1 ß 22 RA 87 49.3 29:3 9 Bilasonz 33 23.8 59.9 Burhanpur 72 83 41 12 1 19 24-1 35 Chands Damoht 16 3 1 2 22 29-3 99 90 12.0 2 Gondia Hinganghat† Jabalpur† 25 54 Khandwa 244 16 147 469 252 27.9 25 34 16.3 12 •~ Nagpur 7 3 13 41 22:9 93 $7 \cdot 3$ Raipur Sagar† Wardha† Yeotmal+ 2 115 26 45 1 TOTAL 933 676 37.7 336 18.7 43 Madras Adoni 4239:0 1 2 1 29.7 1 10 12·4 24·8 Ambur ٠. 2 36 44.62 20 õ 42 Anakapallo3 2 42 43 7 13.5 **Ar**uppukotai 80 13 4 38.5 10 $12 \cdot 8$ Bellary 73 1 Bhimayaram 90 46 74 - 8 3 10 16.8 32.7 1 27 Cannanore 43 8 9.7 1 27 91 3 11 14.3 Chirala . Chittoor 40 32-5 113 203 189 48-4 5 10 18 1 Coimbatore 33 69 55.8 1 20 15-1 Cuddaloro i Cuddappah 20 40 53.3 1 17 39.3 $\tilde{\mathbf{2}}$ 3 Dindigul 624 82 33 20.0 7 29.5 Eluru በበ 51 23 10-1 5 51 60 Erode . . 17:3 2 Guddiyattam 47 49 $54 \cdot 2$ 4 2 19 $21 \cdot 0$ 7 1+9 124 $62 \cdot 5$ 2 2 2 11 Guntur Kakinada 103 46 23 6 29 J4-6 97 58.7 2 ī 8 Kancheepuram 86 54 32.7 10 20 34.7 2 яĐ Karaikudi 12.0 14 Karur . . 16.5 5 i Kozhikode 162 166 53.3 3 8 43 13.8 95 102 55.8 1 Б -Kumbakonam $21 \cdot 9$ 11 Кигносі 62 79 60.31 78 ī 1,430 191 816 1,488 Madras 28.5 211Mangalore 107 45.6 122 2 43 18.3 б 16.1 Mesuliputnam 5-8 7 9 1 Mathurci 378 356 49.0 13 44 168 $23 \cdot 1$ 33 45 27 1 Mayura... 19 32 - 0 Malapal.yam 16 $21 \cdot 9$ 1 2 1 15 20.5 5 1 118 104:0 Nagupattinam 59 4 2 21.2 4 85 g.) 80.0 4 9 Я 2 Nelloro . $29 \cdot 4$ 10 3 4 $\frac{18}{17}$ $\begin{array}{c} 22 \cdot 3 \\ 21 \cdot 6 \end{array}$ Ootacamund 43 45.8 22 41 39 49-5 Palyamkottai. 5 Palghat Proddatur 71 $42 \cdot 5$ 16 11.7 3 ī 4 38 20 27:4 16:4 29-4 i 26 3 Pudukottai • 46 13 i 14.7 60 109 28:4 1 Rajahmundry 18.9 8 30.5 Rajapalayam. Salem 63 ٠. 22 3 212127 31.0 16 74 18-1 8 41 30 $38 \cdot 0$ 1 8 Srivilliputtur. 46 58:3 105 85 42.5 1 1 3 **Ta**njoro 23.8 10 42.0 52Tellioherry 68 5 10 8.3 . . 60 28 1 Teneli 🚆 $24 \cdot 3$ 2 Tirnchlrappalli 226 125 28.8 7.3 16 · 8 9 75 55 38-1 anelveli 22 15.7

In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures pot available.

explanation of symbols used := B.-Births; B.R.-Birth Rate; C.-Cholers; S.-Smallpox; P.- Plague; F.-Fevers; D.D.-Dy. sentery and Diarrhoes; R.D.-Respiratory Diseases; M.D.-Maternal Deaths; D.R.-Death Rate; I.D.- Infantile Deaths ((included in total deaths).

Is the and deaths from principal discusses in towns with a population of over 30,000 in India for the week ending the 8th November, 1952—contd.

									<u></u>		De	nths fro	m :—	, 				
		Tov	-			Mid1952 PopnEst, (000)	в.	B.R.*	c.	8.	Р.	F.	D, D.	R.D.	M,D.	. Total	D.R.*	· I.D.
Ma	dras-	-conte	1.			, ,												
Ti appur Tiruvannam Tumorin	alai	•	•	:	:	55 31 101	45 30 82	$42 \cdot 5$ $50 \cdot 3$ $42 \cdot 2$	•••			 	1 1 1	$\frac{2}{2}$	·i	10 17 40	9·5 28·5 20·6	8
Veniyambaç Vellore Vijayayada		•	:	•	:	40 111 171	23 109 86	20.9 51.1 26.2	2 1	••	 ::	 3 6	6 1	2 14 5	••	10 64 39	13·0 30·0 11·9	2 11 11
Virudunagar Visakhapatr Vizianagran	um	•	•	•	•	48 113 69	29 58 47	3 : 14 26 : 7 35 : 4	* * * *	• •	* • •	1 2 6	3 2 2	4 3 1		25 25 39	27·1 11·5 29·4	3 4 6
		Тота	T			5,948	4,991	43.6	21	2	***	209	211	461	23	2,487	21.7	566
	Orl	888																
Berhampur Cuttaok Puri	:	<i>:</i>	:	:	:	65 108 50	64 90 9	51 · 2 44 · 2 9 · 4	••	*** * *	4.4 4.6 678	6 7 9	2 11 6	$\begin{smallmatrix} 3\\1\\2\end{smallmatrix}$		$\frac{22}{52}$	17.6 25.5 23.9	5 : 16 : 2
			TOTA	L.	•	221	163	38.4	••	••	••	22	19	6	2	97	22.8	23
	P	daţav	(I)															
Ambala Amritsar Batulu		:	:	:	:	59 317 57	68 222 45	55+9 36-6 41+3	::	••	••	3 4 6	8	3 35 1	 1 1	10 105 9	8.9 17.3 8.3	$\begin{array}{c} 2\\24\\2\end{array}$
Bhiwani Ferozepore Husar	•	:	•	:	:	53 41 36	40 35 3 7	$\begin{array}{c} 48 \ 3 \\ 44 \ 6 \\ 53 \ 7 \end{array}$		••	**	6 4	3 	2 4	•••	$^{22}_{7}_{8}$	21·7 8·9 11·6	5 5 2
Hoshiarpur Jullundur Kernal	:	:		:	:	47 176 61	$\frac{26}{111}$ $\frac{25}{25}$	$28 \cdot 9 \\ 33 \cdot 0 \\ 21 \cdot 4$	••	• •		3 18 4	1 4	2 5 2	••	8 43 7	$\begin{array}{c} 8 \cdot 9 \\ 12 \cdot 8 \\ 6 \cdot 0 \end{array}$	$\begin{smallmatrix}2\\19\\2\end{smallmatrix}$
Ludhiana Moga Panipat	:		•	:	:	159 38 57	109 40 53	35+8 55+0 48+6			••	$\frac{16}{3}$	4 l 2	1 1 4		28 0 19	$9.2 \\ 8.3 \\ 17.4$	8 3 6
Pathankot Rewari Rohtak	•	:	:	:	- -	31 35 73	$19 \\ 20 \\ 101$	$32 \cdot 0$ $20 \cdot 9$ $72 \cdot 3$	•••	 	••	$\frac{3}{7}$ 24	1 1 1	ı	•••	6 14 30	10·1 20·9 21·5	3 6 11
Simla Soneput						46 31	39 27	44·3 45·5	., .,							2 8	2·3 13·5	2
Potroban	Tor	AL	•	•		1,317	1021	40.5				120	28	62		332	13.2	
Utt	ar Pr	adesh																
Agra . Allahabad Amroha	:	:	:	:	:	34) 322 59	466 260 92	70°8 42°2 81°5	••	••		$rac{2}{7}$	8 1 4	121 29 18	2 1	201 72 53	30·6 11·7 47·0	50 12 18
Bahraich	_		-			дБ	3 7	43.0				2	2	2		10	11.6	7
Ballia Bana ras	•	:	:		:	32 350	17 418	27·8 62·4	••		••	$\frac{2}{80}$	1 15	1 32	::	8 239	13.1 35·7	2 44
Be ida† Bareill y Basti†	•				•	197	107	28 4	••	••	a y a	28	2	10	••	49	13.0	21
Bijnor† Budaan Balandshahr	, ·			•		53	47	46.4	_	••	949	9	1	3	••	18	17.8	3
Chandausi Dohra Dun Etrwah	•	:	:	:	:	38 124 61	53 40 44	$72 \cdot 9$ $16 \cdot 9$ $37 \cdot 7$	•••		••	9 4 9	1 2 2	$\frac{2}{2}$ 10	••	22 15 29	30·3 6·3 24·9	4 1 9
Favzabad-Aj Vorrukhabac Forozabad			· .	:	:	79 78 69	44 54 38	$29 \cdot 1 \\ 37 \cdot 1 \\ 28 \cdot 8$		•••	• • • •	2 18 9	3	4, 8 3	••	15 40 15	$0.9 \\ 27.5 \\ 11.4$	$\begin{smallmatrix}1\\15\\2\end{smallmatrix}$
Ghazinbad Ghazipur	•			:		40 35	$\frac{37}{30}$	48-4 44-8			••	6 6	1	ï	1	10 15	13·1 22·4	2 6
Genda	•	•	•	•	٠	33 128	16 74	20°4 30°2	••	••	••	4 9	. . 8	3		7 37	11·1 15·1	ĭ 7
Gorckhpu r Hapur† Burdwar	•	•	•	•	•	58	44	39.7	•••	•••	••	9	2	5		33	29.7	7 5
B) thres Jam pur	:	:		•	•	ля 53 109	65 44 90	58.6 43.4 43.2	••		••	25 4 50	2 3	12 4 4	••	41 15 75	37·0 14·8	10 1 21
Jhansi * T				• asa 41		as been an a				·· mulatio	n it is							

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used :— B = Births; B.R. = Birth Rate; C. = Cholora; S. = Smallpox; P. = Plague; F. = Fevers; D. D. = Dyseltery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I. D. = Infantile Deaths (included in total deaths).

/ V/4-

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 8th November, 1952—contd.

Deaths from 1-Mid.-1952 Town Popn-Est. B.R. C. S. Ρ. F. D.D. R.D. M.D. Total D.R. I.D. В, Uttar Pradesh-contd. 662455 35.9 135 43 50 9 392 31.0 131 Kanpur Kasgani † 19 25.5 3 39 5 11 14.7 Khurja . 86 20 21.9 141 59 Koil-Aligarh 2 88.2 36 10 39 49 457 334 176 20.1 Lucknov Mathurat Mau-Nath Bhanjan † 167 181 15 7 36 11.3 6 7 **leerut** 90 56.9 15 38 Mirzapur-Vindhyachal $22 \cdot 1$ 39-7 1 158 120 34 12 60 19.9 8 Moradabad 14 39.8 51 1 3 Muzaffarnagar 67 27 $21 \cdot 1$ 27 31.4 22 25·6 Pilibhit 22 $0 \cdot 7$ 140 18 Rampur 183 58:0 54 2 77 27 . 4 23 Saharanpur ï 67.5 10 20 Sambhai 62 80 ٠. 42 35.4 10 75 39.6 22 7 99 3 5 1 33 17:4 Б Shahjahanpur 26 29.6 46 14.8 13 Sitapur 8,804 42.5 674 141 506 TOTAL 4.683 17 2.023 22.6 Return not received. West Bengal STATES-(Part B) Return not received. Jammu and Kashmir Return not received. Madhya Bharat Mysore State Bangalore City 825 **504** 31.8 39 42 21 281 26.4 80 Devanagere Kolar Gold Fields 89 3 163 151 48-2 1 2 3 33 10.5 ... 108 21.9 6 4 50 257 10.1 Mysore City 31.6 1 49 1,304 793 25 372 14.8 TOTAL PEPSU 41 60.9 14 2 2 29.7 35 20 4 Bhatinda Malerkotla † 8 I A 1 100 44 22.8 21 16.1 R Patiala 32.7 22 3 8 51 12 135 85 19.6 TOTAL Rajasthan Return not received: Saurashtra 148 34 12:4 21 2 в Bhavnagar 15 45 26 30.0 6 17:3 Dhoraji ī 88 28 13 ī 38.3 17.8 Gondal, 1 109 170 81.1 11 18 8.6 5 Jampaca 21 7 .. Junagadh 68 38 31.4 16 .. 17.3 22.8 3 8.9 Morvi 2 1 6 ŔΩ 98.0 1 92 19.1 Porbander 13 7 20 110 40.6 Rejkot 141 57 21.0 17 Surendranagart 42 A 7.4 3 1 .5 Veraval 8.2 102 15 2 190 TOTAL €82 474 36 - 1 28 15.2 52Travancore - Cochin 124 89 37.3 3 1 8 16 6.7 Alleppey 2 Onangancherry 25 36.2 5 · A ï 8 i 39.8 64 $\overline{49}$ 32 26.0 Ernakulam Kottayam Mattancherri 46 25 28.8 3 11 12.4 59 40.4 1 4 . 8 2 ï 10 83 23 14.4 6.8 Nagerooil Quilon AR 90 68.8 A 2 12·4 1·4 71 8B 59.4 17 'n Trivandrum City 195 **20**0 53.3 12 TOTAL 764 23 10 13 1 159 628 42.7 10.8 21

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not avallable.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholers; S.—Smallpox; P.—Plague; F.—Pevers; D.D.—Dysentery and Diarrhoes; R.D.—Respiratory Discusse; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (Included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 8th November, 1952—contd.

											Deatl	a from:-		= .			
				M	Lid-19 5 2	;		•						 ,			
Town				Po	pn. Est (000)	P.	B.R.•	O.	8.	P.	F.	D.D.	B,D.	M.D.	Total	D.R.	I.D
							A	RREAL	R RETU	rns							
	Biha	LE .					For	w/e the	4th Octo	ber, 195	:2						
Arrah • •					67	7	5.4	• •	• •	••	5	1	••	••	7	5 · 4	••
Bettiah • Bihar • •	•		•	•	36 64	7 11	10·1 8·9	••	••	••	2 4	1	••	••	3 4	4.8 3.2	••
Bhagalpur ·			•	•	118	10	4.4	•••		••	2	••	••	••	7	3.1	_
Dhanbad · Darbhanga ·	:	•	:		38 86	24 34	34·6 20·8	ï	1	••	3 1	* *	••	••	17 11	24·3 6·7	••
Dinapur .	•	•	•		44	4	4.8	2	••	••	1	1	••	••	8	9.5	••
Gaya † Jamalpur	•	•	•		45	21	24.3	••	••	••	1	1	• •	••	3	3.5	••
Jamshedpur • Monghyr Muzaffarpur •	•	:	:		227 75 77	91 13 54	20·8 9·0 36·4	 i	••	••	 3	1 1	` 1 ::	••	12 4 14	2·8 2·8 9·5	••
Patna † Purulia			•		48	8	7.8		••		1	••		••	1	1.8	••
Ranchi • •	Te) TAL	•	ı.	118 033	34 316	15·6 15·9	4	1	••	5 31	6	 1	••	14 105	6·4 5·3	••
				_,	•												-•
	Wes	t Beng	ral					For w/	• the 25t	h Oct., i	1982						
Asansol † Baidyabati Bally	•	•	•	-	81 62	20 13	33·7 11·0	ī				••	3	.:-	8 4	13·5 3·4	2
Bankura •	•	•	•	•	49	15	16.0	••	••	••	••	••	••	••	2	2.1	••
Banaberia † Baranagar	•	•	•	•	80	64	41.8	• •	••	••	7	7	• •	••	27	17.6	-
Basirhat Berhampur Bhadreswar	: :	:	:	:	36 58 33	10 38 11	14.5 34.3 17.4	 		···	1 6 2	 1	ı ï	••	5 11 6	7·3 9·9 9·5	1 2 2
Bhatpara		•	•		136	64	24.6	••	••	••	15	1	•:	1	53	20-4	26
Budge-Budge Burdwan	:	•	•	:	82 77	30 9	49·0 6·1	••	••	••	6 10	2	2 2	•	9 25	14·7 17·0	
Calcutta Champdani Cooch-Behar †	:	:	:	:	2,609 38	1,609 22	32·2 30·3		••		7 8	96	189	5 	796 4	16·0 5·5	225
Darjeeling † English Bazar†																	
Garden Reach	•	•	•	•	114	33	15.1	••	••	••	6	3	3	**	21	9*6	3
Halisahar Hooghly Chins	+		•	•	87	7	9.9	••	••	••	••		••	••	4	5.7	• 1
Howrah .		•	•	•	452	313	36.2	2	••	-	20	26	39	1	158	17.7	42
Jalpalguri	•	•	•	•	48	46	55 · 9	••	••	••	7	2	1	••	23	28.0	••
Kamarhati† Kanchrapara	•	•	•	•	61	5	4.3	• •	••	••	••	••	••		••	•.•	
Krishnagar Midnapore†	•	•	٠	•	50	147	153.7		•	••	••		6	1	24	25.1	7
Nabadwip	•	•	•		59	57	50.8	_	-	••	9	-	••	***	13	11.2	-
Naihati† North Barrackt Panihati	ore	:	:	:	34 55	9 8	6.8 6.8	••	=	··	••	1	::	••	8	4·6 2·6	
Santipur	•		•	•	44	14	16.6	••	••	-	• •	·.	••		4	4.8	••
Serampore Siliguri	:	•	:	:	76 35	51 9	35·1 13·4	_		**	7 1		'i	••	84 8	23.4 4.5	••
South Dum-Du South Suburbar Titagarh		•	:	:	68 108 72	9 75 54	$ \begin{array}{r} 0 \cdot 9 \\ 86 \cdot 3 \\ 39 \cdot 2 \end{array} $	••	**		1 2 21	1 4 ••	1 5		3 17 24	2·3 8·2 17·4	••• 4 6
Tollygunj					163	21	6.7				••		••		••		
	Тота	L		•	4,712	2,703	80.7	7		••	201	150	254	12	1,279	14.5	328

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dy—sentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 8th November, 1952.

					35 11 10	~~					Deaths f	rom :-		·			
	,	rown.			Mid19 PopnE (000)	at.	B.B.9	a.	В.	P.	y.	D .D.	B,D,	M, D.	Total	D. R.*	I.D.
Wes	Ben	gal						For w/	the Is	t Nov.,	1952						
≜ sansol Baidyabati Bally		:		:	78 31 62	13 24 17	8.7 40.5 14.3	-	11 	-		••	 2 2	 	 7 3	11.8 2.5	2
Bankura Bansberia†	•	•	•	•	49 80	19 67	20·3	to P	-	-	- 5		·· 4		 24	 15•7	••
Baranagar Basirhat	•	•	•	•	86	14	20.3	_		_	-			_	3	4.4	••
Berhamput Bhadreswa		•	:	•	58 33	39 10	85·2 15·8	=	=	-	1		1 2	918 419	9 6	8·1 9·5	1 2
Bhatpara Budge-Bud Burdwan	ge .	:	:	•	136 82 77	74 1 16	28·4 1·6 10.9	==	=		11 1 10	3 2 1	8 2 3	* =	49 9 20	18·8 14·7 18·6	19
Calcutta Ceampdani Cooch-Behs	. .r†	•	:	:	2,609 38	1,71 <u>2</u> 8	34·3 11·3		••	a r	89	85	179	7	778 8	15·5 4·1	258
Darjeeling† English Ba Garden Rea	zar† ch	•	•	•	114	2 2	10.1	_	***	-	6	1	1	 .	18	8.3	2
Halisahar Hooghly-Ol Howrah	in u	а .	:	:	87 57 452	9 36 2 81			-:	**	 4 18	1 27	2 44	1	4 13 174	5·7 11·9 20·1	2 48
Jalpaiguri		•	•	•	43	39	47.4	_		-	1	1	••	•••	9	10.9	••
Kamarhati Kanchrapar		•	•	•	61	29	24.9	-	-	-	••	***	••	•••	-	••	•
Krishnagar Midnapur Nabadwip	:	:	•	•	50 44 59	3 27 37	3·1 32·1 32·8	-	::	-	1 4 3	 4	ï	2	18 4	2·1 21·4 3·5	ģi
Naihatí ~North Barac Panihati	kpur	:	:	:	57 84 55	8 1 9	7·3 1·5 8·6	=	111	-	.; i		1 1 	<u>.</u>	5 2 1	4·6 3·1 1·0	••
Santipur† Berampur† Biliguri	•	•	•	•	85	. 9	13.4	_		••	2	••			3	4.5	•.
South Dum South Subur Titagarh	Dum ban	•	:	:	68 108 72	3 75 45	2·3 36·3 32·7	··· 2 —	=	••	 5 14	 6	 8 	·.	31 20	15:0 14:5	11 4
Tollygung	-	•			163	4,	1.3		-		1			1	3	1.0	• •
ı		Total	E,	•	4,838	2,651	28.7	15	••	t.a	183	135	261	16	1,213	13.1	350
Mad	bya 1	Prade	sh														
Jabalpur Gondia Gondia	. w		10 -5 2 , 11-52		21 2 39 39	128 77 51	31.4 10.3 68.0	••	1	••	15 19 19	20 5	8 2 2	 3 3	73 32 24	17·9 4·3 32·0	1
Воз	nbay																
Kalyan Thana	. 4	v/e 1-1			62 53	46 35	38·6 34·3	**		••	1	 <u>.</u> 1	1 3		8 26	6·7 25·4	
	Orian													_			
Puri ·	• 17	r/e 2 5-	-10-52		5 0	13	13.6	-	-	**	9	3	2	1	29	30 · 2	8
Bhopal			*														
Bhopal Bhopal		25-			106 106	41 89	20·1 19·1		••	••	16 10	4	5 4 1		34 19	16.7 9·3	••
Bhopal	•		11-52	ana dh	106 ere has b	46	22 · 6	··	ort of	 populat	7 ion. (4 fe ti	 ibal 43		-	13	6 ·4	not bo

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used:—B,—Births; B,R.—Birth Rate; C,—Cholera; S.—Smallpox; P,—Plague; P.—Pevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Discases; M.D.—Maternal Deaths; D.R.—Death Rate; L.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 8th November, 1952—concld.

								-			Deaths	from :-			_		
	1	low n			Mid-195; Popu. Est. (000)		B.R.*	σ.	8.	P,	F.	D.D.	R.D.	M.D.	Total	D,R.*	I.D.
Ja	mma	& K	et hm:	ly v													
	w/e 4	27-9-6 1-10-6 11-10	52 .	:	288 233 233	146 104 111	32·5 23·2 24·7	#79 V 0	*** *** ***	 	1 1 5	••	4 8 10	2 	12 18 25	$\begin{array}{c} 2 \cdot 6 \\ 4 \cdot 0 \\ 5 \cdot 5 \end{array}$	6 3 4
Jammu Jammu City	w/e 7 w/e	4-10 11-1	-52 0-52	:	64 64	59 48	47·9 39·0	-	• • •**	**	4.	3 2	2 -	1	14 12	11·3 9·7	2
M	dhy	a Bha	rat		ı	-	For w/s the	25 U	October,	1952							
Greater Gw Indore City Ratlam City		•	:	:	249 325 66	58 100 22	12·1 16·0 17·3	••	••	••	$\begin{smallmatrix}3\\17\\7\end{smallmatrix}$	2 7 3	$\begin{smallmatrix}2\\13\\10\end{smallmatrix}$	'i 	14 90 27	2·9 14·4 21·3	1 18 9
Ujjain City			•		136	40	15.9	••	•••	••	5	3	13	2	61	23.3	17
	•	Т	OTAL		778	220	14.7	- •	• •	••	32	15	38	8	192	12.9	45
	Raja	ethan	1				For w/e the	18th	October,	1952							
Jatpur Alwar Bharatpur	:	:	:	•	307 59 38	75 59 2 3	12·7 52·0 31·5	8+4 8+4 8+4	·- -	••	40 •- 9	7 1 	80 1 	. <u>.</u>	149 8 19	25·2 7·1 26·0	80
Sikar Tonk Bikaner	:	:	:	• :	46 48 117	13 8 111	14·7 9·7 49·3	ere 4 4	### ### # #		 4 7	1 1 9	$\begin{smallmatrix}3\\2\\13\end{smallmatrix}$	1 :i	8 9 38	10.9 10.9	2 1 9
Churu Gengenaga Kotah "	•	:	:	:	43 39 66	1 6 13	$\begin{smallmatrix}1 \cdot 2 \\ 8 \cdot 0 \\ 10 \cdot 2\end{smallmatrix}$	ean den	 	9-4 1-1	$\begin{smallmatrix} 5\\2\\10\end{smallmatrix}$	••	 11.4 6416	ï	5 4 12	6·0 5 ·3 9·5	i
Udsipur	•	•	•	•	94	1	*55	-	a + q		8	••	2	_	8	4.4	3
To	TAL.				852	310	18-9			•••	82	19	101	7	260	15.9	49

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may no be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholers; S.—Smallpox; P.—Plague; P.—Fevers; D.D.—Dysentery and Distribute; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

RHMARKS

The figures of births and deaths shown in this statement for week ending the 8th November, 1952, relate to 180 towns with an estimated population of 24,158 thousands. The total number of towns is 281 and their population is 34,764 thousands. Thus 64% of the total number of towns representing 69% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 18,594 and 8,331 representing birth and death rates of 40.0 and 17.9 per thousand of population respectively.

(A) States (Parts A and O).—The data here relate to 156 towns with an estimated population of 21,273 thousands. Information about Bihar and West Bengal could not be included. The total number of towns is 235 and their population is 29,570 thousands. Thus 66% of the total number of towns representing 72% of the total population is covered. The numbers of births and deaths recorded in these towns were 16,614 and 7,550

representing birth and death rates of 40.6 and 18.5 per thousand of population respectively. The table at the end gives the position by States.

Srivilliputtur in Madras was the only town which recorded a high death rate of 58.3 per thousand of population and this high death rate was not particularly due to deaths from any of the specified causes.

(B) States (Part B).—The data here relate to 24 towrs with an estimated population of 2,885 thousands. The total number of towns is 46 and their population is 5,194 thousands. Thus 52% of the total number of towns representing 56% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,980 and 781 representing birth and death rates of 35.7 and 14.1 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States		Current	w/o 8-11-52	Corresponding w	e last year		ng mean during 5-years-period
		B. R.	D. R.	B. R.	D, R.	B. R.	D. R.
Ajmer .		25.2	13.2	52·2	12.7	46 • 2	17.5
Bombay		37.7	15-4	41.6	16.6	38.5	21.3
Delhi		41.6	10.1	61.1	16.9	45.0	12-4
Madhya Prad	lesh	87.7	18.7	2 6·7	13.4	85.8	21.7
Madres		43-6	21.7	47.8	23 · 4	46-1	24.9
Orises .		38.4	22.8	38.5	2 5 · 4	89-2	26 · 2
Punjab .	•	40.5	13.2	51-5	11.8	40.0	11.5
Utter Predes	h	42.5	22.6	41.9	20 ·6	41.4	22.0
India (only 8	Itates	40·6	18-5	44.5	19· 5	38-8	20.4
Parts A							

New Dulhe, 2 (Indea); The 2nd December 1962.

K. MITRA,

for Registrar General, India.

